中国认可
国际互认
检测
TESTING
CNAS L0599

Test Report **No: SHCPCH200908890E** **Date: Sep 28 2020**

Client name:	Hangzhou Special Nonwovens Co.,Ltd
Client address:	Room1308, No.2 East Building, Hangzhou Xintiandi Business Center, Xiacheng District, Hangzhou
Sample name:	cleaning and sanitising wipes
Date of manufacture/Valid	Date of manufacture 20200813
Period or Batch/Exp. Date:	Exp. Date 20220812
Manufacturer:	Hangzhou Special Nonwovens Co.,Ltd
Color and state:	White Solid

The above information and samples are provided and confirmed by the customer, and SGS is not responsible for confirming the accuracy, appropriateness and/or completeness of the information provided by the customer.

SGS job No.:	SHCPCH200908890
SGS reference No.:	/
Date of receipt:	Sep 14 2020
Testing period:	Sep 14 2020~ Sep 21 2020

TEST(S) REQUESTED:
Selected test(s) as requested by applicant:
Evaluation of bactericidal activity

TEST METHOD(S):
EN 1276-2019 Chemical disinfectants and antiseptics-Quantitative suspension test for the evaluation of bactericidal activity of chemical disinfectants and antiseptics used in food, industrial, domestic, and institutional areas-Test method and requirements (phase 2, step 1)

TEST RESULT(S), CONCLUSION:
Please refer to the next page.

Remark:
(1) The statement of conformity in this test report is only based on measured values by the laboratory and does not take their uncertainties into consideration.
(2) This test report is in Chinese and maybe translated into other languages, The Chinese version shall prevail.

Unless otherwise stated, the results shown in this test report apply only to the sample(s) as received, and this document cannot be used for publicity without approval of the Company, not be allowed to copy testing report (except for copy of full text) without written approval.

Signed for and on behalf of
SGS-CSTC Standards Technical Services (Shanghai) Co.,Ltd

检验检测专用章
Inspection & Testing Services

Authorized Signature Angela Yu

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention:To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.
Testing Center Cosmetics, Personal Care & Household
3rd Building, No.889, Yishan Road, Shanghai China 200233 t (86-21) 60645189 f (86-21) 60645127 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t (86-21) 60645189 f (86-21) 60645127 e sgs.china@sgs.com

Test Report **No: SHCPCH200908890E** **Date: Sep 28 2020**

CONCLUSION:
According to EN 1276-2019, the submitted sample tested under simulated clean conditions:
For strain(s) of *Escherichia coli, Staphylococcus aureus, Pseudomonas aeruginosa , Enterococcus hirae,* the decimal log (lg) reduction in viability are > 5, comply with the requirement of EN 1276-2019（The decimal log (lg) reduction in viable counts shall demonstrate at least 5 for general purpose disinfection)

TEST RESULT(S):

TEST ORGANISM(S): *Pseudomonas aeruginosa* ATCC 15442, *Escherichia coli* ATCC 10536, *Staphylococcus aureus* ATCC 6538, *Enterococcus hirae* ATCC 10541.

Validation and controls

TEST ORGANISM(S)	Validation Suspension (Nv_0)		Experimental conditions control (**A**)		Neutralizer or filtration control (**B**)		Method validation (**C**)	
Escherichia coli ATCC 10536	$\overline{X}$	45	$\overline{X}$	36	$\overline{X}$	36	$\overline{X}$	35
	30≤$\overline{X}$ of Nv_0≤160? ☒yes □no		$\overline{X}$ of A is≥0.5x$\overline{X}$ of Nv_0? ☒yes □no		$\overline{X}$ of B is≥0.5x$\overline{X}$ of Nv_0? ☒yes □no		$\overline{X}$ of C is≥0.5x$\overline{X}$ of Nv_0? ☒yes □no	
Staphylococcus aureus ATCC 6538	$\overline{X}$	49	$\overline{X}$	45	$\overline{X}$	43	$\overline{X}$	42
	30≤$\overline{X}$ of Nv_0≤160? ☒yes □no		$\overline{X}$ of A is≥0.5x$\overline{X}$ of Nv_0? ☒yes □no		$\overline{X}$ of B is≥0.5x$\overline{X}$ of Nv_0? ☒yes □no		$\overline{X}$ of C is≥0.5x$\overline{X}$ of Nv_0? ☒yes □no	
Pseudomonas aeruginosa ATCC 15442	$\overline{X}$	70	$\overline{X}$	63	$\overline{X}$	62	$\overline{X}$	62
	30≤$\overline{X}$ of Nv_0≤160? ☒yes □no		$\overline{X}$ of A is≥0.5x$\overline{X}$ of Nv_0? ☒yes □no		$\overline{X}$ of B is≥0.5x$\overline{X}$ of Nv_0? ☒yes □no		$\overline{X}$ of C is≥0.5x$\overline{X}$ of Nv_0? ☒yes □no	
Enterococcus hirae ATCC 10541	$\overline{X}$	46	$\overline{X}$	38	$\overline{X}$	36	$\overline{X}$	38
	30≤$\overline{X}$ of Nv_0≤160? ☒yes □no		$\overline{X}$ of A is≥0.5x$\overline{X}$ of Nv_0? ☒yes □no		$\overline{X}$ of B is≥0.5x$\overline{X}$ of Nv_0? ☒yes □no		$\overline{X}$ of C is≥0.5x$\overline{X}$ of Nv_0? ☒yes □no	

Test suspension and Test result

	TEST ORGANISM(S)	lgN	lgN_0	7.17≤lg N_0≤7.70?
Test-suspension (N and N_0):	*Escherichia coli* ATCC 10536	8.41	7.41	☒**yes** □**no**
	Staphylococcus aureus ATCC 6538	8.23	7.23	☒**yes** □**no**
	Pseudomonas aeruginosa ATCC 15442	8.20	7.20	☒**yes** □**no**
	Enterococcus hirae ATCC 10541	8.28	7.28	☒**yes** □**no**

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. Testing Center Cosmetics, Personal Care & Household

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention:To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com
3rd Building, No.889, Yishan Road, Shanghai China 200233 t (86-21) 60645189 f (86-21) 60645127 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t (86-21) 60645189 f (86-21) 60645127 e sgs.china@sgs.com
Member of the SGS Group (SGS SA)

Test Report **No: SHCPCH200908890E** **Date: Sep 28 2020**

	TEST ORGANISM (S)	Contact time	**Lg Na**	**Lg R**
TEST RESULT (S)	*Escherichia coli* ATCC 10536	5min	<2.15	>5.26
	Staphylococcus aureus ATCC 6538	5min	<2.15	>5.08
	Pseudomonas aeruginosa ATCC 15442	5min	<2.15	>5.05
	Enterococcus hirae ATCC 10541	5min	<2.15	>5.13

Remark:

1. Experimental conditions

Product test concentrations: 80%

Contact time: 5min

Test temperature: 20℃±1℃

incubation temperature: 36℃±1℃

Interfering substance: 0.3g/l of bovine albumin=clean condition

Stability and appearance of the mixture during the procedure: test mixture were homogeneous

Membrane filtration method, rising liquid: sterile water

2.Explanation:

N: Number of survivors per ml in the test fungal suspensions

N_0: Number of survivors per ml in the test mixtures at the beginning of the contact time (time =0)

Na: Number of survivors per ml in the test mixtures at the end of the contact time

R = reduction (lg R= lg N_0 – lg Na)

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention:To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. Testing Center Cosmetics, Personal Care & Household

3rd Building, No.889, Yishan Road, Shanghai China 200233 t (86-21) 60645189 f (86-21) 60645127 www.sgsgroup.com.cn

中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t (86-21) 60645189 f (86-21) 60645127 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Test Report **No: SHCPCH200908890E** **Date: Sep 28 2020**

Sample Description: sample in bag



In the territory of the People's Republic of China, the test report shall only be used for client scientific research, teaching, internal quality control, product research and development, etc… and just for client internal reference.

*** End of Report***

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested .
Attention:To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.
Testing Center Cosmetics, Personal Care & Household
3rd Building, No.889, Yishan Road, Shanghai China 200233 t (86-21) 60645189 f (86-21) 60645127 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t (86-21) 60645189 f (86-21) 60645127 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)